

ENVIRONMENTAL  
CLEARANCE



Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), MAHARASHTRA)

To,

The Authorised Signatory  
PALM GROVE BEACH HOTELS PRIVATE LIMITED  
Construction House, B, 2nd Floor, 623 Linking Road, Opp. Telephone  
Exchange, Khar, Mumbai 400052 -400052

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity  
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)  
in respect of project submitted to the SEIAA vide proposal number  
SIA/MH/INFRA2/402475/2022 dated 08 Oct 2022. The particulars of the  
environmental clearance granted to the project are as below.

- |   |  |
|---|--|
| 1. EC Identification No.                      | EC23B038MH124304   |
| 2. File No.                                   | SIA/MH/INFRA2/402475/2022  |
| 3. Project Type                               | Expansion  |
| 4. Category                                   | B  |
| 5. Project/Activity including<br>Schedule No. | 8(a) Building and Construction projects  |
| 6. Name of Project                            | Application for Proposed<br>Amendment/Expansion in EC for the<br>development of Commercial project on<br>plot bearing CTS No. 168A/B, 168C/1 &<br>168 G/2 Ghatkopar, Mumbai,<br>Maharashtra by M/s. PALM GROVE<br>BEACH HOTELS PVT. LTD. |
| 7. Name of Company/Organization               | PALM GROVE BEACH HOTELS<br>PRIVATE LIMITED   |
| 8. Location of Project                        | MAHARASHTRA  |
| 9. TOR Date                                   | N/A  |

The project details along with terms and conditions are appended herewith from page  
no 2 onwards.

Date: 11/04/2023

(e-signed)  
Pravin C. Darade , I.A.S.  
Member Secretary  
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification  
number & E-Sign generated from PARIVESH. Please quote identification  
number in all future correspondence.*

*This is a computer generated cover page.*

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environmental Single-Window Hub)



**STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY**

No.SIA/MH/MIS/INFRA2/402475/2022  
Environment & Climate Change  
Department  
Room No. 217, 2<sup>nd</sup> Floor,  
Mantralaya, Mumbai- 400032.

To  
M/s. Palm Grove Beach Hotels Pvt Ltd.,  
CTS No. 168A/B, 168C/1 & 168 G/2,  
Ghatkopar, Mumbai.

**Subject** : Environment Clearance for proposed Amendment/ Expansion in EC for the development of Commercial project on plot bearing CTS No. 168A/B, 168C/1 & 168 G/2 Ghatkopar, Mumbai by M/s. Palm Grove Beach Hotels Pvt Ltd.

**Reference** : Application no. SIA/MH/MIS/INFRA2/402475/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 193<sup>rd</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 257<sup>th</sup> (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. **Brief Information of the project submitted by you is as below:-**

Sr. No.	Description	Details	
1	Proposal No.	SIA/MH/MIS/INFRA 2/402475/2022	
2	Name of Project	Amendment/Expansion in EC for the development of Commercial project on plot bearing CTS No. 168A/B, 168C/1 & 168 G/2 Ghatkopar, Mumbai, Maharashtra by M/s. PALM GROVE BEACH HOTELS PVT. LTD.	
3	Project category	B Category	
4	Type of Institution	Private Limited	
5	Project Proponent	Name	Mr. D. D. Bhagwat
		Regd. Office address	Construction House, B 2 <sup>nd</sup> Floor, 623 Linking road, Opp. Telephone exchange, Khar, Mumbai- 400052.
		Contact number	022-61313131
		e-mail	corporate@krahejarealty.com
6	Consultant	<b>Mahabal Enviro Engineers Pvt. Ltd.</b> NABET ACCREDIATION: QCI/NABET/EIA/ACO/17/00427	
7	Applied for	Amendment and Expansion in EC	
8	Location of the project	Plot bearing CTS No. 168A/B, 168C/1 & 168 G/2 Ghatkopar, Mumbai, Maharashtra.	
9	Latitude and Longitude	Latitude: 19°5'45.98"N and Longitude: 72°55'0.86"E	

10	Plot Area (sq.m.)	30,414.20 m <sup>2</sup>					
11	Deductions (sq.m.)	1,133.60 m <sup>2</sup>					
12	Net Plot area (sq.m.)	29,280.60 m <sup>2</sup>					
13	Ground coverage (m <sup>2</sup> ) & %	9,808.67 m <sup>2</sup> (33.5%)					
14	FSI Area (sq.m.)	49,865.77 m <sup>2</sup>					
15	Non-FSI (sq.m.)	30,154.31 m <sup>2</sup>					
16	Proposed built-up area (FSI + Non FSI) (sq.m.)	80,020.08 m <sup>2</sup>					
17	TBUA (m <sup>2</sup> ) approved by Planning Authority till date	80,020.08 m <sup>2</sup> (The plan is approved from MCGM vide letter No. 08.10.2022)					
18	Earlier EC details with Total Construction area, if any.	Obtained the EC from SEIAA, Maharashtra vide No. SEAC 2010/CR746/TC2 dated. 19.03.2012 for the plot area of 30,414.20 m <sup>2</sup> , FSI area of 41,254.33 m <sup>2</sup> and the Total construction area of 1,05,666.03 m <sup>2</sup> and subsequent revalidation vide letter no. SEIAA 2019/CR-23/SEIAA dt. 13.01.2019.					
19	Construction completed as per earlier EC (FSI + Non FSI) (sq. m.)	As per earlier ECs, we not started any construction on site. There is existing Bldg. No. 1 on site, having total construction area of 23,347.5 m <sup>2</sup> constructed prior to 2004					
20	<b>Bldg Name</b>	<b>Confg.</b>	<b>Height (m)</b>	<b>Bldg. Name</b>	<b>Confg.</b>	<b>Height (m)</b>	<b>Reason for Modification / Change</b>
	Existing Building No. 1 (Prior to 2004)	B + Part G/Part St. + 1 <sup>st</sup> to 9 <sup>th</sup> Floor	37.22	Existing Building No. 1 (Prior to 2004)	B + Part G/Part St. + 1 <sup>st</sup> to 9 <sup>th</sup> Floor	37.22	Construction Prior to 2004
	Club House	G + 1 <sup>st</sup> Floor	7.81	Club House	G + 1 <sup>st</sup> Floor	7.81	Change in planning; No work started.
	Building No. 2	St+ 8 Floor	34.45	Building No. 2	Part B + St +1 <sup>st</sup> to 9 <sup>th</sup> Floor	38.85	Change in planning; No work started
	Building No. 3 (Residential)	2 B + G + P + 20 Upper Floor	69.85	Building No. 3 (Mall)	2 Base. + 3 <sup>rd</sup> Part Base. + LG + G +1 <sup>st</sup> to 4 <sup>th</sup> Floor	29.85	Change in planning; No work started
Building No. 4	St +7 Floor	29.40	Building No. 4	Part Base + St +1 <sup>st</sup> to 3 <sup>rd</sup>	16.05	Change in planning; No work started	
21	Commercial Area	Commercial area: 49,865.77 m <sup>2</sup>					
22	Total Population	5,326 Nos.					

23	Total Water Requirements CMD	158 KLD												
24	Under Ground Tank (UGT) location	3 <sup>rd</sup> Basement												
25	Source of water	MCGM												
26	STP Capacity & Technology	3 STP of 200 KLD capacity with MBBR Technology												
27	STP Location	3 <sup>rd</sup> Basement												
28	Sewage Generation CMD & % of sewage discharge in sewer line	Sewage Generation: 148 KLD, % Discharge in Municipal sewer line: 33 %												
29	Solid Waste Management during Construction Phase	<table border="1"> <thead> <tr> <th>Type</th> <th>Quantity (kg/d)</th> <th>Treatment / disposal</th> </tr> </thead> <tbody> <tr> <td>Dry waste</td> <td>12 kg/day</td> <td>Handed over to local body</td> </tr> <tr> <td>Wet waste</td> <td>18 kg/day</td> <td>Handed over to local body</td> </tr> <tr> <td>Construction waste</td> <td>1,639 m<sup>3</sup></td> <td>Will be handled as per Construction Waste Rule, 2016</td> </tr> </tbody> </table>	Type	Quantity (kg/d)	Treatment / disposal	Dry waste	12 kg/day	Handed over to local body	Wet waste	18 kg/day	Handed over to local body	Construction waste	1,639 m <sup>3</sup>	Will be handled as per Construction Waste Rule, 2016
		Type	Quantity (kg/d)	Treatment / disposal										
		Dry waste	12 kg/day	Handed over to local body										
Wet waste	18 kg/day	Handed over to local body												
Construction waste	1,639 m <sup>3</sup>	Will be handled as per Construction Waste Rule, 2016												
30	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed	Dry waste	426 kg/d	Handed over to local body										
		Wet waste	639 kg/d	Mechanical Composting Unit of 650 kg/day										
		E-Waste	10 Tons/year	Handed over to Authorized recycler										
		STP Sludge (dry)	1 KLD	STP sludge will be composted										
31	RG Area in Sq. m.	RG Required: 7,320.15 m <sup>2</sup> (25%)												
		RG provided on Mother earth: 5,124.23 m <sup>2</sup>												
		Paved RG provided on Ground: 2,483.95 m <sup>2</sup>												
		RG provided on Podium: Nil												
		Total RG provided: 7,608.18 m <sup>2</sup>												
		Existing trees on plot: 421 Nos.												
		Number of Trees to be planted: 3,898 Nos.												
		a) In RG: Along plot boundary 337 Nos. b) In Miyawaki plantation (with area): 3,561 Nos. (Area: 890.22 m <sup>2</sup> )												
		Number of trees to be cut: Nil												
Number of trees have been retained: 421														
32	Power requirement	Number of trees have been transplanted: Nil												
		<table border="1"> <thead> <tr> <th>Details</th> <th>TATA/ADANI</th> </tr> </thead> <tbody> <tr> <td>Connected load</td> <td>8.1MW</td> </tr> <tr> <td>Demand load</td> <td>5.8 MW</td> </tr> </tbody> </table>	Details	TATA/ADANI	Connected load	8.1MW	Demand load	5.8 MW						
		Details	TATA/ADANI											
Connected load	8.1MW													
Demand load	5.8 MW													
33	Energy Efficiency	a) Total Energy saving (%): 25.9% b) Solar energy (%): 4.5 % (Capacity of PV panels proposed: 360 kW & No. of Solar PV panels provided: 900 panels each of 400 Wp)												
34	D.G. set capacity	10,500 (5 X 2,000, 1 X 500)												
35	No. of 4-W & 2-W Parking with 25% EV	4-W: 446, 2-W:200 Nos. (4-W with EV charging facilities: 112 Nos.)												
36	No. & capacity of Rain water harvesting tanks /Pits	3 Rainwater Harvesting Tank of 310 KL capacity												

37	EMP Cost	Capital Cost- Rs. 916.26 Lakhs, O and M cost- Rs. 86.1 Lakhs
38	Project Cost in (Cr.)	Rs. 154.01 Cr. (Including expansion cost of Rs. 56.01 Crs)
39	CER Details with justification if any....as per MoEF&CC circular dated 01/05/2018	Not Applicable. (as per MoEF&CC OM F. NO. 22-65/2017-IA.III Dt. 25.02.2021)
40	Details of Court Cases/litigations w.r.t the project and project location, if any.	No Court case is pending against the project

The comparative statement showing project details as approved in earlier EC and proposed amendment & expansion is given below:

Sr. No.	Description	Details as per earlier EC (26.08.2022)	Proposed Amendment/ Expansion	Remark
1	Plot Area (m <sup>2</sup> )	30,414.20	30,414.20	No change
2	FSI Area (m <sup>2</sup> )	41,254.33	49,865.77	FSI potential increased as per DCR 2034, due planning and use, total construction area is reducing.
3	Non FSI Area (m <sup>2</sup> )	64,411.70	30,154.31	
4	Total Construction Area (m <sup>2</sup> )	1,05,666.03	80,020.08	
5	Building Configuration	Existing Building No. 1 (prior to 2004) B + Part G/Part St + 1 <sup>st</sup> to 9 <sup>th</sup> Floor	Existing Building No. 1 (prior to 2004) B + Part G/Part St. + 1 <sup>st</sup> to 9 <sup>th</sup> Floor	
		Club House: G + 1 <sup>st</sup> Floor	Club House: G + 1 <sup>st</sup> Floor	OC Obtained.
		Building No. 2 St+ 8 Floor	Building No. 2 Part Base. + St + 1 <sup>st</sup> to 9 <sup>th</sup> Floor	Change in planning; No work started
		Building No. 3 (Residential) 2 Base + G + P + 20 Upper Floor	Building No. 3 (Mall) 2 Base. + 3 <sup>rd</sup> Base. (pt) + LG + G + 1 <sup>st</sup> to 4 <sup>th</sup> Floor	Change in planning; No work started
		Building No. 4 St + 7 Floor	Building No. 4 Part Base + St + 1 <sup>st</sup> to 3 <sup>rd</sup>	Change in planning; No work started

Sr. No.	Description	Details as per earlier EC (26.08.2022)	Proposed Amendment/ Expansion	Remark
6	No. of tenements & Shops (Nos.)	Flats: 408 Nos. Comm. Area: 6,698.43	Commercial Area: 49,865.77 m <sup>2</sup>	Due to change in planning Commercial area is increase
7	Population (Nos.)	2,710 Nos.	5,326 Nos.	Increased
8	Water requirement (KLD)	376 KLD	158 KLD	Reduced due to change in user i.e. Residential to commercial
9	Sewage generation (KLD)	300 KLD	148 KLD	Reduced due to decreased in water requirement
10	STP Capacity and STP technology	1 STPs of total 345 KLD with SAFF technology	3 STPs of total 200 KLD with SAFF technology	
11	Total Solid waste generation (kg/d)	Total: 1,464 kg/d (Biodegradable Waste: 586 kg/day)	Total: 1,065 Kg/d (Biodegradable Waste: 639 kg/day)	Reduced due to change in user i.e. Residential to commercial
12	Total RG Area provided (m <sup>2</sup> )	RG Provided: 6,545 m <sup>2</sup>	RG Provided: 7,608.18 m <sup>2</sup>	Provided as per norms
13	Power requirement (MW)	Connected Load: 3.0 MW DG set: 700 kVA	Connected Load: 8.1 MW DG set: 10,500 kVA	Increased
14	RWH Tank Capacity (KL)	2 RWH tank with 100 KL	3 RWH tank with 310 KL	No change
15	Parking (Nos)	Four-Wheeler – 824 Nos.	Four-Wheeler – 446 Nos.	Provided as per DCR 2034
16	Project Cost	Rs. 98 Cr.	Rs. 154.06 Cr.	Increased by Rs. 56.06 Cr.

3. Proposal is an expansion of existing construction project. PP has obtained earlier Environment Clearance vide SEAC-2010/CR 746/TC-2, dated: 19.03.2012 and subsequent revalidation vide letter no. SEIAA-2019/CR- 23/SEIAA, dated:13.01.2019 for the plot area of

30,414.20 Sq. Mtrs., FSI area of 41,254.33 Sq. Mtrs. and total construction area of 1,05,666.03 Sq. Mtrs. Proposal has been considered by SEIAA in its 257<sup>th</sup> (Day-3) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

**Specific Conditions:**

**A. SEAC Conditions-**

1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
2. PP to obtain following updated NOCs & remarks as per amended planning:  
a) Sewer connection; c) SWD NOC; d) Tree NOC.
3. PP to shift domestic/firefighting tank to first basement for building no-3.
4. PP to submit certified six-monthly compliance report of earlier EC from Regional Office, MOEF&CC, Nagpur.

**B. SEIAA Conditions-**

1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
4. SEIAA after deliberation decided to grant EC for – FSI – 49,848.09m<sup>2</sup>, Non FSI- 30,154.31m<sup>2</sup>, Total BUA- 80, 002.4 m<sup>2</sup>. (Plan approval No. CE/5890/BPES/AN/337/1/AMEND dt. 21.09.2022 for bldg. no. 2, CE/5727/BPES/AN/337/2/AMEND dt. 21.09.2022 for bldg. no. 1 & 3, P-12077/2022/ (168A/B And Other) /N Ward/GHATKOPAR for bldg. No. 4)

**General Conditions:**

**a) Construction Phase :-**

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction

workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

**B) Operation phase:-**

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste

should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at [parivesh.nic.in](http://parivesh.nic.in)
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

**C) General EC Conditions:-**

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
  - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
  - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
  - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
  - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
  - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
  - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade  
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Mumbai Suburban.
6. Commissioner, Municipal Corporation of Greater Mumbai.
7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.

Signature Not Verified

Digitally signed by Shri Pravin C. Darade, I.A.S.  
Member Secretary

Date: 4/11/2023 2:09:35 PM